

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8697	705/50-79.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 06:55
S1	64	("20010001321" "20020152124" "20020188510" "4359631" "4567359" "5309355" "5576951" "5577109" "5578808" "5621787" "5696908" "5722067" "5778313" "5828740" "5845259" "5854975" "5868236" "5884292" "5903633" "5945653" "5991380" "5991381" "5991749" "6035025" "6064990" "6081791" "6169975" "6185545" "6188752" "6289319" "6628766" "6651885" "RE32115").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:49
S2	2	"6526130".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 16:00
S3	11	("5577109" "5578808" "5722067" "5778313" "5828740" "5854975" "5868236" "5991380" "5991749" "6035025" "6269343"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/02 16:14
S4	885	number near5 assign\$4 near5 remot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 16:22

S5	9	S4 and (prepaid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 16:26
S7	2	S4 and (server same offline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 16:52
S8	44	number near5 (assign\$4 or confirm\$5) near5 remotely	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 17:05
S9	547	manag\$4 near7 ("pin" or (access near5 code) or (authorization near5 code) or password or key) near7 (level or inventor\$3 or quantit\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:05
S10	21	S9 and (hub same server)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:06
S11	175	manag\$4 near7 ("pin" or (access near5 code) or (authorization near5 code) or password) near7 (level or inventor \$3 or quantit\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:11
S12	8141	pin near5 distribut\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:12
S14	4	S11 and S12	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:13
S15	9538	pin near5 (distribut\$3 or allocat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:14
S16	4	S11 and S15	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:15
S17	78	S15 and (pin near5 server)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:15
S18	287	S15 and (redistribut\$3 or reallocat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:16
S19	3	S18 and (pin near5 inventor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:17

S20	32	S15 and (pin near7 (redistribut\$3 or reallocat\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:18
S21	18480	key near5 (distribut\$3 or allocat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:26
S22	239	S21 and (key near7 (redistribut\$3 or reallocat\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:26
S23	32	key near5 inventory near5 management	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 11:26
S24	174	inventory near5 (distribut\$3 or allocat\$3) near5 network	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 12:50
S25	33	S24 and (redistribut\$3 or reallocat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/24 12:50
S26	2	"20050229003".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 09:53
S27	308873	(account\$3 or distribut\$3 or manag\$5 or allocat\$3) same (inventor\$3 or lists or keys)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:08
S28	239629	(account\$3 or distribut\$3 or manag\$5 or allocat\$3) near10 (inventor\$3 or lists or keys or code or secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:09
S29	26578	S28 and PIN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:09
S30	36	S29 and ((replenish\$3 or refill\$3) near5 PIN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:10
S31	2236	(unused or unneeded or ("not" near3 (need\$3 or requir\$3 or utiliz\$3))) near10 PIN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:19

S32	408	S31 and ("sent back" or returned)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:19
S33	28	S31 and (("sent back" or returned) near7 PIN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:20
S34	5775	(unused or unneeded or ("not" near3 (need\$3 or requir\$3 or utiliz\$3))) near10 (PIN or "personal identification number" or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:22
S35	37	S34 and (("sent back" or returned) near7 PIN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:22
S36	9	S35 not S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:22
S37	16601	float\$3 same (inventor \$3 or level or stock or stor\$3) same (pin or "personal identification number" or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:25
S38	2714	float\$3 same ((inventor \$3 or level or stock or stor\$3) near7 (pin or "personal identification number" or code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:25
S39	660	float\$3 near7 ((inventor \$3 or level or stock or stor\$3) near7 (pin or "personal identification number" or code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:25

S40	10	S39 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:26
S41	0	float\$3 same ((inventor \$3 or level or stock or stor\$3) near7 (pin or "personal identification number" or code)) and "personal identification number"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:27
S42	177	float\$3 same (inventor \$3 or level or stock or stor\$3) same (pin or "personal identification number" or code) and "personal identification number"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:27
S43	1658	shar\$ing same (PIN or code or "personal identification number") same (between) same (devices or servers or computers or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:36
S44	1026	shar\$ing same (code or "personal identification number") same (between) same (devices or servers or computers or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:37
S45	53	shar\$ing same ((access near3 code) or "personal identification number") same (between) same (devices or servers or computers or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:37
S46	87	((shar\$ing or exchang \$3) near5 (data or (electronic near3 information) or (access near3 code))) same (multiple or many or plurality or numerous) same server same hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:44
S47	2	"6169975".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 10:46

S48	6	(US-20020077973-\$ or US-20020138358-\$). did. or (US-5578808-\$ or US-5868236-\$ or US-5645434-\$ or US-6169975-\$).did.	US-PGPUB; USPAT	OR	ON	2009/01/10 10:24
S49	2	S48 and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:24
S50	2	hub near7 suppl\$4 near7 server near7 inventor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:29
S51	5	(server near7 suppl\$4 near7 server near7 inventor\$3) same (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:34
S52	21	(server near7 (suppl\$4 or fulfill\$3 or transfer\$4 or transmitt\$3) near7 server near7 inventor \$3) same (first and second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:36
S53	16	S52 not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:37
S54	5	(first near7 server near7 (suppl\$4 or fulfill\$3 or transfer\$4 or transmitt \$3) near7 inventor\$3) same (second near7 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:52
S55	166	(first near7 server near7 (suppl\$4 or fulfill\$3 or transfer\$4 or transmitt \$3) near7 (inventor\$3 or pins or code)) same (second near7 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:55

S56	166	(first near7 server near7 (suppl\$4 or fulfill\$3 or transfer\$4 or transmitt \$3) near7 (inventor\$3 or code)) same (second near7 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:55
S57	7	(first near7 server near7 (suppl\$4 or fulfill\$3 or transfer\$4 or transmitt \$3) near7 (inventor\$3 or code)) same (second near7 server) and (authorization near5 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:55
S58	233	(central near5 server) same (secondary near5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:58
S59	0	(central near5 server near5 inventor\$3) same (secondary near5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:59
S60	21	S58 and (inventor\$3 near5 manag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 10:59
S61	2	"20020077984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 11:25
S62	3725	server near5 (offline or off-line or "off line")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 12:53
S63	0	server near5 (offline or off-line or "off line") near5 before near5 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:01

S64	0	server near5 (offline or off-line or "off line") near5 anticipat\$3 near5 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:02
S65	622	(computer or device or apparatus or hub or server) same (offline or off-line or "off line") same (anticipat\$3 or before) same (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:03
S66	159	((computer or device or apparatus or hub or server) near7 (offline or off-line or "off line")) same (anticipat\$3 or before) same (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:03
S67	3	((computer or device or apparatus or hub or server) near7 (offline or off-line or "off line")) near7 (anticipat\$3 or before) near7 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:03
S68	68	((computer or device or apparatus or hub or server) near7 (offline or off-line or "off line" or disconnect\$3)) near7 (anticipat\$3 or before) near7 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:14
S69	108	((computer or device or apparatus or hub or server) near7 (offline or off-line or "off line" or disconnect\$3)) near7 (anticipat\$3 or before or prior) near7 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:38
S70	40	((computer or device or apparatus or hub or server) near7 (offline or off-line or "off line" or disconnect\$3)) near7 (prior) near7 (clear\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 13:52

S71	2	("5350906" "5350906"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 18:22
S72	11	("5350906" "5937396" "5220501" "5897625" "6012048" "6289320"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 18:23
S73	118	hierarch\$4 near5 (servers or hub or computers) near5 synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:24
S74	3	S73 and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:24
S75	2415	((central near5 server) or hub) near5 synchroniz \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:30
S76	58	S75 and offline	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:30
S77	58	S75 and ((two near5 way near5 communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:33
S78	51	S75 and ((sub near5 server) or (secondary near5 server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 19:35

S79	1487	(central near5 (server or database)) and (secondary near5 (server or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:22
S80	1	S79 and (pin near5 manag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:22
S81	0	S79 and (digital near5 inventor\$3 near5 manag \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:23
S82	28	S79 and (digital near5 assets near5 manag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:23
S83	311	(central near5 (server or database)) same (secondary near5 (server or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:25
S84	9	S83 and (digital near5 assets near5 manag\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:25
S85	14	S83 and (digital near5 assets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:55
S86	11	S83 and (client near5 terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:56

S87	261	S83 and (client or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:58
S88	39	S87 and chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 20:58
S89	22210	((central or primary or first) near5 (server or database or distributor or provider) near5 (second\$3)) and ((content or asset or data or media or file) same (manag\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:04
S90	15361	((central or primary or first) near5 (server or database or distributor or provider) near5 (second\$3)) and ((content or asset or data or media or file) near5 (manag\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:04
S91	392	S90 and ((content or asset or data or media or file) near5 (redistribut\$3 or reallocat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:05
S92	25	S90 and ((content or asset or data or media or file) near5 (redistribut\$3 or reallocat\$3) near5 (primary or first or central))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:05
S93	29	S90 and ((content or asset or data or media or file) near5 (redistribut\$3 or reallocat\$3) near10 (primary or first or central))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:22
S94	4	S93 not S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:22

S95	1196	(data or content or inventor\$3 or asset) near5 (allocat\$3 or reallocat\$3 or distribut\$3 or redistribut\$3) near5 between near5 servers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:29
S96	1408	(data or content or inventor\$3 or asset) near5 (allocat\$3 or reallocat\$3 or distribut\$3 or redistribut\$3) near5 between near5 (database or servers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:29
S97	935	S96 and (hub or primary or central or controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:30
S98	180	S96 same (hub or primary or central or controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 21:31
S99	2	"20020126685".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:12
S100	2	"20020174034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:18
S101	160	hub same server same request same transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:37
S102	124	hub same server same request same transfer same (data or content or asset or inventor\$3 or products)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:38

S103	489	intelligent near5 hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:44
S104	11	intelligent near5 hub near5 suppl\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 22:44
S105	2	"6526130".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 11:12
S106	0	"6526130".pn. and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 11:12
S107	0	"6526130".pn. and offline	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 11:12
S108	5	"316603".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 11:13
S109	0	"20030095646".pn. and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 11:13

1/12/2009 6:55:52 AM

C:\Documents and Settings\jcoppola\My Documents\1_EXAM\10\10821405\10821405.wsp